

Synmira Blue GVB

Product Description: Crème Eyeshadow

Phase	Trade Name	INCI Name	Supplier	Formula # 215-17
Α	Floraester IPJ	Isopropyl Jojobate (and) Jojoba Alcohol (and) Jojoba	Floratech	18.99
	Puresyn 2	Hydrogenated Polydecene	Sandream Specialties	6.71
	Floramac 10	Ethyl Macadamiate	Jarchem	14.40
	Permethyl 99	Isododecane	Presperse	5.00
	Jeenate 2H	Polyethylene	Jeen	4.89
	Jeenate 5H	Polyethylene	Jeen	4.00
	SP 220	Cetyl Esters	Strahl and Pitch	2.45
В	Sansil 5012	Cyclopentasiloxane and Dimethicone Copolymer	Sandream Specialties	12.86
	Vitamin E Oil	Tocopheryl Acetate	Sandream Specialties	0.20
	Mica LL3	Mica, Lauroyl Lysine	Sandream Specialties	5.00
	HDK H30	Hydrophobic Pyrogenic Silica	Wacker Chemical Corp	0.50
С	Synmira Blue GVB	Synthetic Fluorphlogopite (and) Titanium Dioxide (and) Silica (and) Ferric Ferrocyanide	Sandream Specialties	25.00
TOTAL PERCENT				100.00

Procedure: Weigh all of phase A into glass beaker and heat to 80°C. Mix with propeller and continue mixing until all raws are dissolved and solution is homogenous. Add phase B and slowly mix until uniform. Add phase C to A and B and rapidly mix until uniform. Pour into desired pots or vials and cool to room temperature.

The information provided is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of Sandream Specialties. Customers should utilize formulations provided as a guide and perform in-house stability, micro and other necessary testing.