

**Glamour Glitter Body Gel- Coral Pink**

**Lab # 223-41**

Phase	Name	INCI	Function	Supplier	%
A	DI Water	Water	-	-	86.36
	Vanzan® NF	Xanthan Gum	Thickener	Vanderbilt Minerals	1.29
	Glycerin 99.7% USP	Glycerin	Humectant	Univar	3.00
B	Covacryl P-12	Acrylates Copolymer	Thickener	Sensient	3.00
	Euxyl PE® 9010	Phenoxyethanol	Preservative	Schulke	1.00
	<b>DL- Panethenol</b>	<b>DL- Panethenol</b>	<b>Preservative</b>	<b>Sandream Specialties</b>	<b>0.20</b>
C	<b>Glamour Party Bubblegum</b>	<b>Calcium Aluminum Borosilicate, Titanium Dioxide, Tin Oxide, Red 30</b>	<b>Pearl</b>	<b>Sandream Specialties</b>	<b>2.55</b>
	<b>Glamour Party Mulberry</b>	<b>Calcium Aluminum Borosilicate, Titanium Dioxide, Tin Oxide, Carmine</b>	<b>Pearl</b>		<b>2.05</b>
	<b>Glamour Party Violet</b>	<b>Calcium Aluminum Borosilicate, Titanium Dioxide, Tin Oxide, Carmine, Ferric Ferrocyanide</b>	<b>Pearl</b>		<b>0.55</b>
<b>Total</b>					<b>100.00</b>

**Procedure**

1	Add Phase A to a beaker and propeller mix at 500 rpm until uniform.
2	Add Phase B to the beaker and continue mixing at 500 rpm until uniform.
3	Add Phase C to the beaker and mix at 300 rpm until texture is smooth.
4	Adjust pH if necessary and pack into airless containers.

**Notes**

pH 6.5-7