

Glamour Glitter Body Gel- Sunset Orange

Lab # 223-43

Phase	Name	INCI	Function	Supplier	%
A	DI Water	Water	-	-	86.36
	Vanzan® NF	Xanthan Gum	Thickener	Vanderbit Minerals	1.29
	Glycerin 99.7% USP	Glycerin	Humectant	Univar	3.00
B	Covacryl P-12	Acrylates Copolymer	Thickener	Sensient	3.00
	Euxyl PE® 9010	Phenoxyethanol	Preservative	Schulke	1.00
	DL- Panethenol	DL- Panethenol	Preservative	Sandream Specialties	0.20
C	Glamour Party Orange	Calcium Aluminum Borosilicate, Titanium Dioxide, Tin Oxide, Yellow 6 Lake	Pearl	Sandream Specialties	2.73
	Glamour Party Bubblegum	Calcium Aluminum Borosilicate, Titanium Dioxide, Tin Oxide, Red 30	Pearl		2.42
Total					100.00

Procedure	
1	Add Phase A to a beaker and propeller mix at 500 rpm until uniform.
2	Add Phase B to the beaker and continue mixing at 500 rpm until uniform.
3	Add Phase C to the beaker and mix at 300 rpm until texture is smooth.
4	Adjust pH if necessary and pack into airless containers.

Notes	
pH 6.5-7	